

State of Utah

GARY R. HERBERT

SPENCER J. COX Lieutenant Governor

Department of Environmental Quality

Alan Matheson
Executive Director

DIVISION OF WATER QUALITY Walter L. Baker, P.E. Director

RECEIVED
AUG 1 2 2016
DIV. OF OIL, GAS & MINING

AUG 1 0 2016

Mr. Scott A. Bakken, PG Director, Permitting and Environmental Affairs Energy Fuels 225 Union Blvd., Suite 600 Lakewood, CO 80228

Dear Mr. Bakken:

Subject:

Site Review and Inspection of the Energy Queen Mine located near La Sal, Utah on

July 18, 2016. UPDES Permit No. UT0025712

I appreciated meeting with Race Fisher, and Todd Eldredge on July 18, 2016. The SWPPP was updated in November 2006 and was complete. The mine currently was not in operation. Storm water controls are located throughout the facility including several detention ponds and berms to control and direct storm water on the property. Drainage ditches have also been installed to control storm water from coming in contact with raw product or industrial activities. The Mine has one large lined pond to capture process waster. See attached photos and inspection report. There were no deficiencies observed and no further action is required at this time.

If you have any questions concerning the report do not hesitate to contact me at (801) 536-4393. Thank you.

Sincerely,

Mike George, Environmental Scientist

UPDES Storm Water Section

Enclosures (6):

1.3560 (DWQ-2016-012127)

2. Inspection report (DWQ-2016-012128)

3. Photos (DWQ-2016-012132)

4. 3560 (DWQ-2016-012131)

5. Reconnaissance Inspection Letter (DWQ-2016-012129)

6. Inspection Protocol (DWQ-2016-012130)

cc: Rick Meyer, Environmental Health Director, San Juan County Public Health Dept., w/encl.

Mike Bradley, Environmental Scientist, Division of Oil, Gas and Mining, w/encl.

Scott Hacking, DEQ District Engineer, w/encl.

DWQ-2016-012126



United States Environmental Protection Agency Washington, D.C. 20460

Water Compliance Inspection Report

	Section A: Natio	onal Data System	m Coding (i.e.,	ICIS)	
$ \begin{array}{c c} \textbf{Transaction Code} \\ \hline \lfloor N \\ \hline 1 \end{array} \qquad \begin{array}{c c} \hline 5 \\ \hline 2 \end{array} \qquad \begin{array}{c c} \hline \\ \hline \end{array} $	UPDES U T 0 0 2 5 7 1 2 3		yr/mo/day 1 6 0 7 1 8	Inspection Ty	rpe Inspector Fac. Type S 19 2 20
	EVALUATI	Remarks O N I N	S P E C T I	O N	
Inspection Work Days Facility Sel	ff-Monitoring Evaluation Rating	BI N 71	QA [N] 72	73 74	Reserved
	Sec	ction B: Facility	v Data		
Name and Location of Facility Inspected and NPDES permit number)	(For industrial users discharging	to POTW, also incl	ude POTW name	Entry Time/ Date	Permit Effective Date
ENERGY FUELS RESOURCE ENERGY QUEEN MINE	S USA, INC			01:30 PM 07/18/2016 Exit Time/ Date	09/05/2013 Permit Expiration Date
560 E. HIGHWAY 46, LA SAL SANJUAN COUNTY	., UT 84535			02:30 PM 07/18/2016	08/31/2018
Name(s) of On-Site Representative(s)/Ti	tle(s)/Phone and Fax Number(s)			Other Facility Data (e.,	g., SIC NAICS, and other
RACE FISHER MINE SUPERINTENDENT 970-739-5742	TODD ELDREDGE MAINTAINANCE MA 435-459-1075	NAGER		descriptive information	n)
				SIC 1094	4
Name, Address of Responsible Official/I SCOTT BAKKEN DIRECTOR, PERMITTING & 303-389-4132		AIRS	Contacted X Yes No		
Section	on C: Areas Evaluated Dui	ring Inspection	(Check only the	ose areas evaluated	0
X Permit	X Self Monitoring Progra	Service Control of the Control of th	Pretreatment		MS4
X Records/Reports	Compliance Schedule		Pollution Prevent	L	
X Facility Site Review	Laboratory	X	Storm Water		
Effluent/Receiving Waters	X Operations & Mainten		Combined Sewer	Overflow	
Flow Measurement	Sludge Handling/Disp		Sanitary Sewer C		
(Attach additiona	Section D: Su I sheets of narrative and ch	mmary of Find	lings/Comment	S t Violation codes	TE MAGASSAMI)
SEV Codes SEV Description		iecnusis, incluu	ing Single Lven	i violation codes, a	is necessary)
SEV Eddes SEV Description					
	10				
Name(s) and Signature(s) of Inspector	11/2	Agency/Office/Ph	one and Fax Numbe	er(s)	Date
MIKE GEORGE, ENVIRONMENTAL	SCHATIST	DIVISION OF V	WATER QUALITY	(801) 536-4393	8-10-16
Vame and Signature of Management Q A JEFF STUDENKA, MANAGER UPDE SECTION	Reviewer S STORM WATER		one and Fax Numbe		Date #10-16
PA Form 3560-3 (Rev 1-06) Previous editions	ore checlete	DI TIDIOIT OF V	TITER QUALITY	(001) 330-1333	

INSTRUCTIONS

Section A: National Data System Coding (i.e., ICIS)

Column 1: Transaction Code: Use N, C, or D for New, Change, or Delete. All inspections will be new unless there is an error in the data entered.

Columns 3-11: NPDES Permit No. Enter the facility's NPDES permit number - third character in permit number indicates permit type for U=unpermitted, G=general permit, etc. (Use the Remarks columns to record the State permit number, if necessary.)

Columns 12-17: Inspection Date. Insert the date entry was made into the facility. Use the year/month/day format (e.g., 04/10/01 = October 01, 2004).

Column 18: Inspection Type*. Use one of the codes listed below to describe the type of inspection:

ı	A Performance Audit	X Toxics Inspection	6 IU Non-Sampling Inspection with
	B Compliance Biomonitoring	Z Sludge - Biosolids	Pretreatment
	C Compliance Evaluation (non-sampling)	# Combined Sewer Overflow-Sampling	7 IU Toxics with Pretreatment
	D Diagnostic	\$ Combined Sewer Overflow-Non-	! Pretreatment Compliance (Oversight)@
١	F Pretreatment (Follow-up)	Sampling	Follow-up (enforcement)
	G Pretreatment (Audit)	+ Sanitary Sewer Overflow-Sampling	{ Storm Water-Construction-Sampling
١	I Industrial User (IU) Inspection	& Sanitary Sewer Overflow-Non-Sampling	Storm Water-Construction-Non-
	J Complaints	\ CAFO-Sampling	Sampling
4	M Multimedia	= CAFO-Non-Sampling	: Storm Water-Non-Construction-
ľ	N Spill	2 IU Sampling Inspection	Sampling
	O Compliance Evaluation (Oversight)	3 IU Non-Sampling Inspection	 Storm Water-Non-Construction-
1	P Pretreatment Compliance Inspection	4 IU Toxics Inspection	Non-Sampling
ı	R Reconnaissance	5 IU Sampling Inspection with	< Storm Water-MS4-Sampling
١	S Compliance Sampling	Pretreatment	 Storm Water-MS4-Non-Sampling
١	U IU Inspection with Pretreatment Audit		> Storm Water-MS4-Audit

Column 19: Inspector Code. Use one of the codes listed below to describe the lead agency in the inspection.

A- State (Contractor)

O- Other Inspectors, Federal/EPA (Specify in Remarks columns)

B- EPA (Contractor) P- Other Inspectors, State (Specify in Remarks columns)

E- Corps of Engineers R- EPA Regional Inspector

- Joint EPA/State Inspectors—EPA Lead S- State Inspector
- Local Health Department (State) T- Joint State/EPA Inspectors—State lea

N- NEIC Inspectors

Column 20: Facility Type. Use one of the codes below to describe the facility.

- 1- Municipal. Publicly Owned Treatment Works (POTWs) with 1987 Standard Industrial Code (SIC) 4952.
- 2- Industrial. Other than municipal, agricultural, and Federal facilities.
- 3- Agricultural. Facilities classified with 1987 SIC 0111 to 0971.
- 4- Federal. Facilities identified as Federal by the EPA Regional Office.
- 5- Oil & Gas. Facilities classified with 1987 SIC 1311 to 1389.

Columns 21-66: Remarks. These columns are reserved for remarks at the discretion of the Region.

Columns 67-69: Inspection Work Days. Estimate the total work effort (to the nearest 0.1 work day), up to 99.9 days, that were used to complete the inspection and submit a QA reviewed report of findings. This estimate includes the accumulative effort of all participating inspectors; any effort for laboratory analyses, testing, and remote sensing; and the billed payroll time for travel and pre and post inspection preparation. This estimate does not require detailed documentation.

Column 70: Facility Evaluation Rating. Use information gathered during the inspection (regardless of inspection type) to evaluate the quality of the facility self-monitoring program. Grade the program using a scale of 1 to 5 with a score of 5 being used for very reliable self-monitoring programs, 3 being satisfactory, and 1 being used for very unreliable programs.

Column 71: Biomonitoring Information. Enter D for static testing. Enter F for flow through testing. Enter N for no biomonitoring.

Column 72: Quality Assurance Data Inspection. Enter Q if the inspection was conducted as follow-up on quality assurance sample results. Enter N otherwise.

Columns 73-80: These columns are reserved for regionally defined information.

Section B: Facility Data

This section is self-explanatory except for "Other Facility Data," which may include new information not in the permit or PCS (e.g., new outfalls, names of receiving waters, new ownership, other updates to the record, SIC/NAICS Codes, Latitude/Longitude).

Section C: Areas Evaluated During Inspection

Check only those areas evaluated by marking the appropriate box. Use Section D and additional sheets as necessary. Support the findings, as necessary, in a brief narrative report. Use the headings given on the report form (e.g., Permit, Records/Reports) when discussing the areas evaluated during the inspection.

Section D: Summary of Findings/Comments

Briefly summarize the inspection findings. This summary should abstract the pertinent inspection findings, not replace the narrative report. Reference a list of attachments, such as completed checklists taken from the NPDES Compliance Inspection Manuals and pretreatment guidance documents, including effluent data when sampling has been done. Use extra sheets as necessary.

*Footnote: In addition to the inspection types listed above under column 18, a state may continue to use the following wet weather and CAFO inspection types until the state is brought into ICIS-NPDES: K: CAFO, V: SSO, Y: CSO, W: Storm Water 9: MS4. States may also use the new wet weather, CAFO and MS4 inspections types shown in column 18 of this form. The EPA regions are required to use the new wet weather, CAFO, and MS4 inspection types for inspections with an inspection date (DTIN) on or after July 1, 2005.

Background Information

National D	atabase	Informat	tion
Inspection Type		w	
UPDES ID Number		UTR25	5712
Inspection Date		07/18/2	2016
Inspector Type	EPA	State	EPA Oversight

	General
Inspector Name	MIKE GEORGE
Telephone	801-536-4393
Entry Time	01:30 PM
Exit Time	02:30 PM

Facility Location Information				
Name/Location/ Mailing Address	225 UNION BI	ENERGY FUELS RESOURCES USA, INC. (ENERGY QUEEN MINE) 225 UNION BLVD., SUITE 600 LAKEWOOD, CO 80228		
GPS Coordinates	Latitude	37.756944	Longitude	110.703333
Receiving Water(s)	UNMANED DRY WASH TO WEST COYOTE CREEK TO KANE CREEK			
MS4's	N/A			

Contact Information			
	Name	Telephone	
Owner/Permittee	ENERGY FUELS	303-389-4133	
Operator	INTERNATIONAL URANIUM (USA)		
Co-Permittee	N/A		
Facility Contact & Title	MIKE NEUMANN SENOIR ENVIRONMENTAL SPECIALIST RACE FISHER MINE MANAGER	303-389-4174 435-686-9999	
Authorized Official(s)	HAROLD ROBERTS	303-389-4160	

	Site Information:
Industrial Activity	URANIUM MINING
SIC Code(s)	1094

Basic Permit Inform	mation (circle	one)
Permit Coverage	Y	N
Permit Type	General	Individual
Copy of NOI on site?	Y	N
NOI Date	SEPTEMBE	ER 05, 2013

Basic SWPPP Information		÷.
SWPPP on site	Y	N
SWPPP Satisfactory*	Y	N
SWPPP Implementation Satisfactory	Y	N

*A Satisfactory SWPPP must be both current and complete (see pages 4, 5, and 6 of this checklist).

	<u>General</u>
Industrial Activity	(describe principal product, production rate, potential pollutants, areas exposed to precipitation, direction of storm water flow) UNDERGROUND URANIUM MINE
	(describe age and size of facility, number of employees, hours of operation) LOCATED AT 560 EAST HIGHWAY 46, LA SAL, UTAH, 84535 IN SAN JUAN COUNTY, UTAH DEVELOPED IN THE 1970'S. 2 EMPLOYEES-NOT OPERATING

SWPPP Implementation (complete in field)

	Storm Water Controls
List the structural and non-structural controls employed by the facility.	(provide a brief description of each) STRUCTURAL; EARTHEN DAMS, DETENTION BASINS, AND BURMS THAT DIVERT STORM WATER TO SEVERAL DETENTION BASINS, SILT FENCES. 2 LARGE LINED WASTE WATER PONDS NON: EMPLOYEE TRAINING, HOUSEKEEPING, INSPECTIONS INCLUDING ANNUAL COMPREHENSIVE EVALUATIONS, AND SPILL PREVENTION
Are the controls reasonable and installed correctly and maintained?	(indicate "yes" or "no", or if not appropriate, explain) YES

SWPPP Implementation (continued)

	Storm Water Controls (continued)		
Provide a brief description of other controls that	(e.g., erosion and sediment controls, exposure minimization, diversion structures, pollution prevention, inlet protection/control at storm drains)		
manage/prevent/ minimize storm water runoff.	EARTHEN DAMS AND BERMS ARE USED FOR EROSION AND SEDIMENT CONTOL ON THE MINE SITES. SEVERAL DETENTION BASINS WERE OBSEVED AT THE MINE		

	<u>Miscellaneous</u>
Any evidence of discharge to receiving waters?	(e.g., storm water runoff, dry weather discharge, co-mingling of process waste water
	NO. IUSA PLANS FOR THE MINE TO BE A ZERO-DISCHARGE FACILITY
Do the storm water outfalls on site correspond with those listed on the site map and in SWPPP?	(indicate "yes" or "no", or if not appropriate, explain) ALL STORM WATER IS MANAGED WITH DIVERSION DITCHES AND CAN HANDLE 100 YEAR, 6 HOUR STORMS.

SWPPP Review (can be completed in office)

<u>General</u>		Notes:	
Is a copy of the SWPPP on site?	Y	N	SWPPP WAS UPDATED NOVEMBER, 2006
Did all "operators" and co-permittees sign the SWPPP?		N	
Did the signatures include the certification statement?		N	

Were the signatories authorized to sign?		N	
Is an individual/team responsible for developing/implementing SWPPP identified (e.g., pollution prevention team)?		N	POLLUTION PREVENTION TEAM IS LISTED ON PAGE 2 OF THE SWPPP.
Are employee training records regarding storm water pollution prevention topics included in SWPPP?		N	CONDUCTED AT LEAST ANNUALLY FOR ALL FMPLOYEES

Site Map			Notes:
Is there a site map?	Y	N	
Drainage patterns/ outfalls?	Y	N	
Identification of types of pollutants?	Y	N	
Location of major structural controls used to reduce pollutants in runoff?		N	
Name of receiving water(s) or MS4's listed?		N	UNNAMED DRY WASH TO WEST COYOTE WASH TO KANE CREEK
Is receiving water a tributary to waters of the U.S. (if "yes" indicate name of tributary)?		N	
Location of significant materials exposed to storm water?		N	MATERIALS ARE DETAILED IN THE SWPPP.
Locations of major spills occurring Within 3 years from date of NOI?		N	NO SPILLS WERE LISTED ON THE SITE MAP
Location of fueling, maintenance, loading and unloading, material storage, waste disposal?		N	ALL CHEMICALS INCLUDING LIQUID PRODUCTS, PETROLEUM PRODUCTS WILL BE COVERED, CONTAINED AND PROTECTED FROM VANDALISM

SWPPP Review (continued)

Summary of Potential Pollutant Sources			Notes:
Description of activities, materials, features of site with potential to contribute significant amounts of pollutants to storm water?	Y	N	

Significant Spills & Leaks			Notes:
List of significant spills and leaks over 3 year time period, description of response taken, and actions to prevent similar spills in the future?	Y	N	FACILITY DID NOT REPORT ANY SIGNNIFICANT SPILLS OR LEAKS OVER THE LAST THREE YEARS. FACILITY DOES HAVE AN SPCC PLAN

Storm Water Controls		4 1	Notes:
Does the SWPPP describe the non- structural controls and structural controls that will be used to prevent/reduce discharge of pollutants in storm water runoff?	Y	N	GOOD HOUSEKEEPING, WASTE DISPOSAL, INSPECTIONS, EMPLOYEE TRAINING, PREVENTIVE MAINTENANCE, INSPECTIONS AND INVENTORY OF EXPOSED MATERIALS
Does the SWPPP describe other controls that will be used to prevent/reduce off-site tracking or blowing of sediment, dust and raw, final or waste materials, or other solid materials and floating debris?	Y	N	WATER IS APPLIED TO DIRT ROAD SURFACES AS NEEDED
Does the SWPPP incorporate the 8 baseline controls (good housekeeping, minimizing exposure, PM, spill prevention/response procedures, routine inspections and comprehensive site evaluations, employee training, sediment and erosion control, runoff management)?	Y	Z	
Does the SWPPP contain completed routine inspection reports/logs regarding reportable implementation of 8 baseline controls?	Y	N	INSPECTIONS ARE PERFORMED AT LEAST QUARTERLY.
Does the SWPPP describe the pollutant or activity to be controlled by each selected control and provide an implementation schedule?	Y	N	POTENTIAL POLLUTANT SOURCES ARE CONTAINED FROM THE MINE AREA AND COLLECTED IN DETENTION AND RETENTION PONDS.

SWPPP Review (continued)

Non-Storm Water Discharges			Notes:	
Certification that facility has been tested for non-storm water discharges from the site?	Y	N	EVALUATED IN NOVEMBER 2006	
Description of testing method, drainage points, observed results, and date of test?	Y	N	VISUAL TEST	

<u>Monitoring</u>			Notes:
Are samples collected within 30 minutes of measurable weather events occurring 72 hours after previous measurable weather event?	Y	N	

	Photograph Log	
1.	OFFICE BUILDING	
2.	EQUIPMENT STORAGE AREA	
3.	SITE MAP	
4.	FUELING AREA	100
5.	MINE SHAFT	
6.	MINE SHAFT	
7.	RE-VEG PILOT SITE	
8.	WASTE ROCK PILE	
9.	WASTE ROCK AREA	
10	WASTE ROCK AREA	
11.	WASTE ROCK AREA	
12.	WASTE ROCK AREA	
13.	WASTE ROCK AREA	
14.	PROCESS WATER POND	
15.	PROCESS WATER POND	
16.	PROCESS WATER POND	86
17.	PORTAL AREA	
18.		
19.		
20.		
21.		
22.		
23.		
24.		
25.		


Energy Fuels- Energy Queen Mine



1. Office building



2. Equipment storage area



2. Site map



4. Fueling area



5. Mine shaft



6. Mine shaft



7. Re-veg pilot site



8. Waste rock



9. Waste rock area



10. Waste rock area



11. Waste rock.area



12. Waste rock area



13. Waste rock area



14. Process water pond



15. Process water pond



16. Process water pond



17. Portal area